ELSEVIER

Molecular Brain Research 62 (1998) 236–237

MOLECULAR BRAIN RESEARCH

Author Index

Arruda, J.L., Colburn, R.W., Rickman, A.J., Rutkowski, M.D. and DeLeo, J.A.
Increase of interleukin-6 mRNA in the spinal cord following peripheral nerve injury in the rat: potential role of IL-6 in neuropathic pain (62) 228
Aunis, D., see Thiriet, N. (62) 150

Bauer, J., see Schumann, G. (62) 56
Betsholtz, C., see Ding, M. (62) 77
Bezvenyuk, Z., see Solovyan, V. (62) 43
Bjartmar, L., see Johansson, I.-M. (62) 92
Brändle, U., Kohler, K. and Wheeler-Schilling, T.H.
Expression of the $P2X_7$-receptor subunit in neurons of the rat retina (62) 106
Brecht, S., see Martin-Villalba, A. (62) 158
Burgun, C., see Thiriet, N. (62) 150
Buschmann, T., see Martin-Villalba, A. (62) 158
Butcher, R., see Schumann, G. (62) 56

Cassagne, C., see Kursula, P. (62) 110
Childers, S.R., see Zhuang, S.-y. (62) 141
Christie, D.L., see Comer, A.M. (62) 65
Cohen, D.L., see Kalaria, R.N. (62) 101
Colburn, R.W., see Arruda, J.L. (62) 228
Coleman, P.D., see Smith, M.L. (62) 12
Comer, A.M., Qi, J., Christie, D.L., Gibbons, H.M. and Lipski, J.
Noradrenaline transporter expression in the pons and medulla oblongata of the rat: localisation to noradrenergic and some C1 adrenergic neurones (62) 65

Dantzer, R., see Sipe, K.J. (62) 111
Deadwyler, S.A., see Zhuang, S.-y. (62) 141
De Beun, R., see Putzke, J. (62) 196
DeLeo, J.A., see Arruda, J.L. (62) 228
Delhaye-Bouchaud, N., see Vernet-der Garabedian, B. (62) 224
De Vry, J., see Putzke, J. (62) 196
Ding, M., Eliasson, C., Betsholtz, C., Hamberger, A. and Pekny, M.
Altered taurine release following hypotonic stress in astrocytes from mice deficient for GFAP and vimentin (62) 77
Dow-Edwards, D.L. and Hurd, Y.L.
Perinatal cocaine decreases the expression of prodynorphin mRNA in nucleus accumbens shell in the adult rat (62) 82

Eliasson, C., see Ding, M. (62) 77

Farlow, M.R., see Lahiri, D.K. (62) 131
Fiebich, B.L., see Schumann, G. (62) 56
Flanders, K.C., see Kim, E.S. (62) 122

Garbay, B., see Kursula, P. (62) 110
Gibbons, H.M., see Comer, A.M. (62) 65
Gnegy, M.E., see Michelhaugh, S.K. (62) 35
Grigorenko, E.V., see Zhuang, S.-y. (62) 141

Hamberger, A., see Ding, M. (62) 77
Hampson, R.E., see Zhuang, S.-y. (62) 141
Hara, A., see Higo, A. (62) 96
Hashimoto, T., see Tokuyama, W. (62) 206
Hawver, D.B., see Kim, E.S. (62) 122
Heape, A.M., see Kursula, P. (62) 110
Herdegen, T., see Martin-Villalba, A. (62) 158
Hibino, Y., see Higo, A. (62) 96
Higo, A., Katsura, M., Hibino, Y., Hara, A., Tarumi, C. and Ohkuma, S.
Removal of hydroxyl radical facilitates Ca^{2+}-dependent [^{3}H]GABA release by peroxynitrite (62) 96
Hüll, M., see Schumann, G. (62) 56
Humblot, N., see Thiriet, N. (62) 150
Huotari, V., see Solovyan, V. (62) 43
Hurd, Y.L., see Dow-Edwards, D.L. (62) 82

Itoh, A., Miyabayashi, T., Ohno, M. and Sakano, S.
Cloning and expressions of three mammalian homologues of *Drosophila slit* suggest possible roles for *Slit* in the formation and maintenance of the nervous system (62) 175
Iwahashi, Y., see Mansur, K. (62) 86

Johanson, R.A., see Smith, M.L. (62) 12
Johansson, I.-M., Bjartmar, L., Marcusson, J., Ross, S.B., Seckl, J.R. and Olsson, T.
Chronic amitriptyline treatment induces hippocampal NGFI-A, glucocorticoid receptor and mineralocorticoid receptor mRNA expression in rats (62) 92

Kalaria, R.N., Cohen, D.L., Premkumar, D.R.D., Nag, S., LaManna, J.C. and Lust, W.D.
Vascular endothelial growth factor in Alzheimer's disease and experimental cerebral ischemia (62) 101
Katsura, M., see Higo, A. (62) 96
Kelley, K.W., see Sipe, K.J. (62) 111
Kim, E.S., Kim, R.S., Ren, R.F., Hawver, D.B. and Flanders, K.C.
Transforming growth factor-β inhibits apoptosis induced by β-amyloid peptide fragment 25–35 in cultured neuronal cells (62) 122
Kim, R.S., see Kim, E.S. (62) 122
Kirby, M.T., see Zhuang, S.-y. (62) 141
Kiryu-Seo, S., Matsuo, N., Wanaka, A., Ogawa, S., Tohyama, M. and Kiyama, H.
A sequence-specific splicing activator, Tra2β, is up-regulated in response to nerve injury (62) 220
Kiryu-Seo, S., see Mansur, K. (62) 86
Kittler, J., see Zhuang, S.-y. (62) 141
Kiyama, H., see Kiryu-Seo, S. (62) 220
Kiyama, H., see Mansur, K. (62) 86
Kohler, K., see Brändle, U. (62) 106
Kursula, P., Lehto, V.-P., Garbay, B., Cassagne, C. and Heape, A.M.
Erratum to: 'Expression of the amino acid dimorphism in the small myelin-associated glycoprotein cytoplasmic domain in rat peripheral nerves during postnatal development [Mol. Brain Res. 54 (1998) 252–261] (62) 110

Lahiri, D.K., Farlow, M.R. and Sambamurti, K.
The secretion of amyloid β-peptides is inhibited in the tacrine-treated human neuroblastoma cells (62) 131
LaManna, J.C., see Kalaria, R.N. (62) 101
Lehto, V.-P., see Kursula, P. (62) 110
Lemaigre-Dubreuil, Y., see Vernet-der Garabedian, B. (62) 224
Lesher, T., see Peng Ho, S. (62) 1
Li, J.-h., see Peng Ho, S. (62) 1
Li, Y.X., see Tokuyama, W. (62) 206
Lipski, J., see Comer, A.M. (62) 65
Livanov, V., see Peng Ho, S. (62) 1
Lust, W.D., see Kalaria, R.N. (62) 101

Mack, K.J., see Nanda, S. (62) 216
Maeda, M., see Yoneda, T. (62) 187
Mansur, K., Iwahashi, Y., Kiryu-Seo, S., Su, Q., Namikawa, K., Yodoi, J. and Kiyama, H.
Up-regulation of thioredoxin expression in motor neurons after nerve injury (62) 86
Marcusson, J., see Johansson, I.-M. (62) 92
Mariani, J., see Vernet-der Garabedian, B. (62) 224

ELSEVIER

Molecular Brain Research 62 (1998) 236–237

MOLECULAR BRAIN RESEARCH

Author Index

Arruda, J.L., Colburn, R.W., Rickman, A.J., Rutkowski, M.D. and DeLeo, J.A.
Increase of interleukin-6 mRNA in the spinal cord following peripheral nerve injury in the rat: potential role of IL-6 in neuropathic pain (62) 228
Aunis, D., see Thiriet, N. (62) 150

Bauer, J., see Schumann, G. (62) 56
Betsholtz, C., see Ding, M. (62) 77
Bezvenyuk, Z., see Solovyan, V. (62) 43
Bjartmar, L., see Johansson, I.-M. (62) 92
Brändle, U., Kohler, K. and Wheeler-Schilling, T.H.
Expression of the $P2X_7$-receptor subunit in neurons of the rat retina (62) 106
Brecht, S., see Martin-Villalba, A. (62) 158
Burgun, C., see Thiriet, N. (62) 150
Buschmann, T., see Martin-Villalba, A. (62) 158
Butcher, R., see Schumann, G. (62) 56

Cassagne, C., see Kursula, P. (62) 110
Childers, S.R., see Zhuang, S.-y. (62) 141
Christie, D.L., see Comer, A.M. (62) 65
Cohen, D.L., see Kalaria, R.N. (62) 101
Colburn, R.W., see Arruda, J.L. (62) 228
Coleman, P.D., see Smith, M.L. (62) 12
Comer, A.M., Qi, J., Christie, D.L., Gibbons, H.M. and Lipski, J.
Noradrenaline transporter expression in the pons and medulla oblongata of the rat: localisation to noradrenergic and some C1 adrenergic neurones (62) 65

Dantzer, R., see Sipe, K.J. (62) 111
Deadwyler, S.A., see Zhuang, S.-y. (62) 141
De Beun, R., see Putzke, J. (62) 196
DeLeo, J.A., see Arruda, J.L. (62) 228
Delhaye-Bouchaud, N., see Vernet-der Garabedian, B. (62) 224
De Vry, J., see Putzke, J. (62) 196
Ding, M., Eliasson, C., Betsholtz, C., Hamberger, A. and Pekny, M.
Altered taurine release following hypotonic stress in astrocytes from mice deficient for GFAP and vimentin (62) 77
Dow-Edwards, D.L. and Hurd, Y.L.
Perinatal cocaine decreases the expression of prodynorphin mRNA in nucleus accumbens shell in the adult rat (62) 82

Eliasson, C., see Ding, M. (62) 77

Farlow, M.R., see Lahiri, D.K. (62) 131
Fiebich, B.L., see Schumann, G. (62) 56
Flanders, K.C., see Kim, E.S. (62) 122

Garbay, B., see Kursula, P. (62) 110
Gibbons, H.M., see Comer, A.M. (62) 65
Gnegy, M.E., see Michelhaugh, S.K. (62) 35
Grigorenko, E.V., see Zhuang, S.-y. (62) 141

Hamberger, A., see Ding, M. (62) 77
Hampson, R.E., see Zhuang, S.-y. (62) 141
Hara, A., see Higo, A. (62) 96
Hashimoto, T., see Tokuyama, W. (62) 206
Hawver, D.B., see Kim, E.S. (62) 122
Heape, A.M., see Kursula, P. (62) 110
Herdegen, T., see Martin-Villalba, A. (62) 158
Hibino, Y., see Higo, A. (62) 96
Higo, A., Katsura, M., Hibino, Y., Hara, A., Tarumi, C. and Ohkuma, S.
Removal of hydroxyl radical facilitates Ca^{2+}-dependent [^{3}H]GABA release by peroxynitrite (62) 96
Hüll, M., see Schumann, G. (62) 56
Humblot, N., see Thiriet, N. (62) 150
Huotari, V., see Solovyan, V. (62) 43
Hurd, Y.L., see Dow-Edwards, D.L. (62) 82

Itoh, A., Miyabayashi, T., Ohno, M. and Sakano, S.
Cloning and expressions of three mammalian homologues of *Drosophila slit* suggest possible roles for *Slit* in the formation and maintenance of the nervous system (62) 175
Iwahashi, Y., see Mansur, K. (62) 86

Johanson, R.A., see Smith, M.L. (62) 12
Johansson, I.-M., Bjartmar, L., Marcusson, J., Ross, S.B., Seckl, J.R. and Olsson, T.
Chronic amitriptyline treatment induces hippocampal NGFI-A, glucocorticoid receptor and mineralocorticoid receptor mRNA expression in rats (62) 92

Kalaria, R.N., Cohen, D.L., Premkumar, D.R.D., Nag, S., LaManna, J.C. and Lust, W.D.
Vascular endothelial growth factor in Alzheimer's disease and experimental cerebral ischemia (62) 101
Katsura, M., see Higo, A. (62) 96
Kelley, K.W., see Sipe, K.J. (62) 111
Kim, E.S., Kim, R.S., Ren, R.F., Hawver, D.B. and Flanders, K.C.
Transforming growth factor-β inhibits apoptosis induced by β-amyloid peptide fragment 25–35 in cultured neuronal cells (62) 122
Kim, R.S., see Kim, E.S. (62) 122
Kirby, M.T., see Zhuang, S.-y. (62) 141
Kiryu-Seo, S., Matsuo, N., Wanaka, A., Ogawa, S., Tohyama, M. and Kiyama, H.
A sequence-specific splicing activator, Tra2β, is up-regulated in response to nerve injury (62) 220
Kiryu-Seo, S., see Mansur, K. (62) 86
Kittler, J., see Zhuang, S.-y. (62) 141
Kiyama, H., see Kiryu-Seo, S. (62) 220
Kiyama, H., see Mansur, K. (62) 86
Kohler, K., see Brändle, U. (62) 106
Kursula, P., Lehto, V.-P., Garbay, B., Cassagne, C. and Heape, A.M.
Erratum to: 'Expression of the amino acid dimorphism in the small myelin-associated glycoprotein cytoplasmic domain in rat peripheral nerves during postnatal development [Mol. Brain Res. 54 (1998) 252–261] (62) 110

Lahiri, D.K., Farlow, M.R. and Sambamurti, K.
The secretion of amyloid β-peptides is inhibited in the tacrine-treated human neuroblastoma cells (62) 131
LaManna, J.C., see Kalaria, R.N. (62) 101
Lehto, V.-P., see Kursula, P. (62) 110
Lemaigre-Dubreuil, Y., see Vernet-der Garabedian, B. (62) 224
Lesher, T., see Peng Ho, S. (62) 1
Li, J.-h., see Peng Ho, S. (62) 1
Li, Y.X., see Tokuyama, W. (62) 206
Lipski, J., see Comer, A.M. (62) 65
Livanov, V., see Peng Ho, S. (62) 1
Lust, W.D., see Kalaria, R.N. (62) 101

Mack, K.J., see Nanda, S. (62) 216
Maeda, M., see Yoneda, T. (62) 187
Mansur, K., Iwahashi, Y., Kiryu-Seo, S., Su, Q., Namikawa, K., Yodoi, J. and Kiyama, H.
Up-regulation of thioredoxin expression in motor neurons after nerve injury (62) 86
Marcusson, J., see Johansson, I.-M. (62) 92
Mariani, J., see Vernet-der Garabedian, B. (62) 224

Martin-Villalba, A., Winter, C., Brecht, S., Buschmann, T., Zimmermann, M. and Herdegen, T.
Rapid and long-lasting suppression of the ATF-2 transcription factor is a common response to neuronal injury (62) 158
Matsuo, N., see Kiryu-Seo, S. (62) 220
Menzel, D., see Schumann, G. (62) 56
Michelhaugh, S.K., Pimputkar, G. and Gnegy, M.E.
Alterations in calmodulin mRNA expression and calmodulin content in rat brain after repeated, intermittent amphetamine (62) 35
Miyabayashi, T., see Itoh, A. (62) 175
Miyashita, Y., see Tokuyama, W. (62) 206

Nag, S., see Kalaria, R.N. (62) 101
Namikawa, K., see Mansur, K. (62) 86
Nanda, S. and Mack, K.J.
Multiple promoters direct stimulus and temporal specific expression of brain-derived neurotrophic factor in the somatosensory cortex (62) 216
Neff, P.S., see Sherer, T.B. (62) 167
Nielsen, P., see Schumann, G. (62) 56

Ogawa, S., see Kiryu-Seo, S. (62) 220
Ohkuma, S., see Higo, A. (62) 96
Ohno, M., see Itoh, A. (62) 175
Okuno, H., see Tokuyama, W. (62) 206
Olsson, T., see Johansson, I.-M. (62) 92

Pekny, M., see Ding, M. (62) 77
Peng Ho, S., Livanov, V., Zhang, W., Li, J.-h. and Lesher, T.
Modification of phosphorothioate oligonucleotides yields potent analogs with minimal toxicity for antisense experiments in the CNS (62) 1
Pimputkar, G., see Michelhaugh, S.K. (62) 35
Pongrac, J.L. and Rylett, R.J.
NGF-induction of the expression of ChAT mRNA in PC12 cells and primary cultures of embryonic rat basal forebrain (62) 25
Premkumar, D.R.D., see Kalaria, R.N. (62) 101
Putzke, J., De Beun, R., Schreiber, R., De Vry, J., Tölle, T.R., Zieglgänsberger, W. and Spanagel, R.
Long-term alcohol self-administration and alcohol withdrawal differentially modulate microtubule-associated protein 2 (MAP2) gene expression in the rat brain (62) 196

Qi, J., see Comer, A.M. (62) 65

Ren, R.F., see Kim, E.S. (62) 122
Rickman, A.J., see Arruda, J.L. (62) 228
Rogers, K.E., see Smith, M.L. (62) 12
Ross, S.B., see Johansson, I.-M. (62) 92
Rutkowski, M.D., see Arruda, J.L. (62) 228
Rylett, R.J., see Pongrac, J.L. (62) 25

Sakano, S., see Itoh, A. (62) 175
Salminen, A., see Solovyan, V. (62) 43
Sambamurti, K., see Lahiri, D.K. (62) 131
Sato, M., see Yoneda, T. (62) 187
Schreiber, R., see Putzke, J. (62) 196
Schumann, G., Fiebich, B.L., Menzel, D., Hüll, M., Butcher, R., Nielsen, P. and Bauer, J.
Cytokine-induced transcription of protein-tyrosine-phosphatases in human astrocytoma cells (62) 56
Seckl, J.R., see Johansson, I.-M. (62) 92
Sherer, T.B., Neff, P.S. and Tuttle, J.B.
Increased nerve growth factor mRNA stability may underlie elevated nerve growth factor secretion from hypertensive vascular smooth muscle cells (62) 167
Sim, L.J., see Zhuang, S.-y. (62) 141
Sipe, K.J., Dantzer, R., Kelley, K.W. and Weyhenmeyer, J.A.
Expression of the 75 kDA TNF receptor and its role in contact-mediated neuronal cell death (62) 111
Slemmon, J.R., see Smith, M.L. (62) 12
Smith, M.L., Johanson, R.A., Rogers, K.E., Coleman, P.D. and Slemmon, J.R.
Identification of a neuronal calmodulin-binding peptide, CAP-19, containing an IQ motif (62) 12
Solovyan, V., Bezvenyuk, Z., Huotari, V., Tapiola, T., Suuronen, T. and Salminen, A.
Distinct mode of apoptosis induced by genotoxic agent etoposide and serum withdrawal in neuroblastoma cells (62) 43
Spanagel, R., see Putzke, J. (62) 196
Su, Q., see Mansur, K. (62) 86
Suuronen, T., see Solovyan, V. (62) 43

Takagi, H., see Yoneda, T. (62) 187
Tapiola, T., see Solovyan, V. (62) 43
Tarumi, C., see Higo, A. (62) 96
Thiriet, N., Humblot, N., Burgun, C., Aunis, D. and Zwiller, J.
Cocaine and fluoxetine induce the expression of the hVH-5 gene encoding a MAP kinase phosphatase (62) 150
Tohyama, M., see Kiryu-Seo, S. (62) 220
Tokuyama, W., Hashimoto, T., Li, Y.X., Okuno, H. and Miyashita, Y.
Highest *trk*B mRNA expression in the entorhinal cortex among hippocampal subregions in the adult rat: contrasting pattern with BDNF mRNA expression (62) 206
Tölle, T.R., see Putzke, J. (62) 196
Tuttle, J.B., see Sherer, T.B. (62) 167

Vernet-der Garabedian, B., Lemaigre-Dubreuil, Y., Delhaye-Bouchaud, N. and Mariani, J.
Abnormal IL-1β cytokine expression in the cerebellum of the ataxic mutant mice *staggerer* and *Lurcher* (62) 224

Wanaka, A., see Kiryu-Seo, S. (62) 220
Weyhenmeyer, J.A., see Sipe, K.J. (62) 111
Wheeler-Schilling, T.H., see Brändle, U. (62) 106
Winter, C., see Martin-Villalba, A. (62) 158

Yodoi, J., see Mansur, K. (62) 86
Yoneda, T., Sato, M., Maeda, M. and Takagi, H.
Identification of a novel adenylate kinase system in the brain: Cloning of the fourth adenylate kinase (62) 187

Zhang, W., see Peng Ho, S. (62) 1
Zhuang, S.-y., Kittler, J., Grigorenko, E.V., Kirby, M.T., Sim, L.J., Hampson, R.E., Childers, S.R. and Deadwyler, S.A.
Effects of long-term exposure to Δ^9-THC on expression of cannabinoid receptor (CB1) mRNA in different rat brain regions (62) 141
Zieglgänsberger, W., see Putzke, J. (62) 196
Zimmermann, M., see Martin-Villalba, A. (62) 158
Zwiller, J., see Thiriet, N. (62) 150